

Bibliographie complémentaire

► Chapitre 1

- Alignier A., 2018. Two decades of change in a field margin vegetation metacommunity as a result of field margin structure and management practice changes. *Agriculture, Ecosystems & Environment*, 251, 1-10.
- Alignier A., Baudry J., 2015. Changes in management practices over time explain most variation in vegetation of field margins in Brittany, France. *Agriculture, Ecosystems & Environment*, 211, 164-172.
- Ammann L., Boser-Baillois A., Eckert P.W., Entling M.H., Albrecht M., Herzog F. 2022. Comparing floral resource maps and land cover maps to predict predators and aphid suppression on field bean. *Landscape Ecology*, 37(2), 431-441.
- Amy S.R., 2015. Effects of hedgerow rejuvenation management on invertebrates with particular reference to habitat structure, Msc by research, University of York Biology, 87 p.
- Barnouin T., Soldati F., Vincent A., Collober O., Boissinot A., 2022. Échantillonnage des coléoptères saproxyliques sur la Réserve naturelle régionale du Bocage des Antonins (79) – années 2020-2022, Office national des forêts, Laboratoire national d'entomologie forestière, 44 p.
- Bieling C., Plieninger T., 2017. *The Science and Practice of Landscape Stewardship*, Cambridge University Press, 377 p.
- Blanco J., Sourdil A., Deconchat M., Barnaud C., San Cristobal M., Andrieu E., 2020. How farmers feel about trees: Perceptions of ecosystem services and disservices associated with rural forests in southwestern France. *Ecosystem Services*, 42, 101066.
- Boissinot A., Etave M., Lourdais O., 2023. Les trognes, des arbres-habitats pour les amphibiens de la Réserve naturelle régionale du Bocage des Antonins. Présentation diffusée lors du 50^e Congrès de la Société herpétologique de France, le 11/10/2023 à Erquy.
- Bourrigaud R., 2007. Le coût de création d'un bocage productif au XIX^e siècle. In *Bocage et Sociétés* (Antoine A., Marguerie D., dir.), Presses universitaires de Rennes, p. 22. (coll. Espace et territoires).
- Braschler B., Gilgado J.D., Zwahlen V., Rusterholz H.-P., Buchholz S., Baur B., 2020. Ground-dwelling invertebrate diversity in domestic gardens along a rural-urban gradient: Landscape characteristics are more important than garden characteristics. *PloS One*, 15(10), e0240061.
- Bütler R., Larrieu L., Martin M., 2025. Tree-related microhabitat assemblages in boreal forests depend more on local environmental conditions and tree species than on tree size. *Scandinavian Journal of Forest Research*, 40(3-4), 177-187.
- Carvell C., Osborne J.L., Bourke A.F.G., Freeman S.N., Pywell R.F., Heard M.S., 2011. Bumble bee species' responses to a targeted conservation measure depend on landscape context and habitat quality. *Ecological Applications*, 21(5), 1760-1771.
- Červinka J., Šálek M., Padyšáková E., Šmilauer P., 2013. The effects of local and landscape-scale habitat characteristics and prey availability on corridor use by carnivores: A comparison of two contrasting farmlands. *Journal for Nature Conservation*, 21(2), 105-113.
- Chevalier R., 2011. Entre champ de colza et forêt : la flore des lisières. Premiers résultats d'une étude menée dans le Gâtinais du Loiret (45), Communication dans un congrès présenté aux 6^e Rencontres botaniques du Centre, Orléans.
- Chevalier R., Alignier A., Andrieu É., Archaux F., 2015. Effet de l'exposition sur la richesse et la composition floristique des lisières forestières dans le Gâtinais oriental (Loiret). *Revue forestière française*, 67(5), 387-405.

- Closset-Kopp D., Gallet-Moron É., Buridant J., Lenoir J., Decocq G., 2017. Un cas de forêt linéaire ancienne dans les paysages ruraux : de la difficile reconnaissance des haies anciennes à l'étude de leur diversité végétale. *Revue forestière française*, 4, 441-454.
- Closset-Kopp D., Wasof S., Decocq G., 2016. Using process-based indicator species to evaluate ecological corridors in fragmented landscapes. *Biological Conservation*, 201, 152-159.
- Corbit M., Marks P.L., Gardescu S., 1999. Hedgerows as habitat corridors for forest herbs in central New York, USA. *Journal of Ecology*, 87(2), 220-232.
- Coulthard E., McCollin D., Littlemore J., 2016. The use of hedgerows as flight paths by moths in intensive farmland landscapes. *Journal of Insect Conservation*, 20(2), 345-350.
- Crist T.O., Veech J.A., Gering J.C., Summerville K.S., 2003. Partitioning species diversity across landscapes and regions: A hierarchical analysis of α , β , and γ diversity. *The American Naturalist*, 162(6), 734-743.
- Critchley C.N.R., Wilson L.A., Mole A.C., Norton L.R., Smart S.M., 2013. A functional classification of herbaceous hedgerow vegetation for setting restoration objectives. *Biodiversity and Conservation*, 22(3), 701-717.
- Davies Z.G., Pullin A.S., 2007. Are hedgerows effective corridors between fragments of woodland habitat? An evidence-based approach. *Landscape Ecology*, 22(3), 333-351.
- De Frenne P., Lenoir J., Luoto M., Scheffers B.R., Zellweger F. *et al.*, 2021. Forest microclimates and climate change: Importance, drivers and future research agenda. *Global Change Biology*, 27(11), 2279-2297.
- De Frenne P., Zellweger F., Rodríguez-Sánchez F., Scheffers B.R., Hylander K. *et al.*, 2019. Global buffering of temperatures under forest canopies. *Nature Ecology & Evolution*, 3(5), 744-749.
- Deckers B., Hermy M., Muys B., 2004a. Factors affecting plant species composition of hedgerows: Relative importance and hierarchy. *Acta Oecologica*, 26(1), 23-37.
- Deckers B., Verheyen K., Hermy M., Muys B., 2004b. Differential environmental response of plant functional types in hedgerow habitats. *Basic and Applied Ecology*, 5(6), 551-566.
- Deconchat M., Blanco J., Andrieu É., Sourdril A., 2020. Des bois dans les maisons. Rôles du système social dans la forêt rurale des paysages des Coteaux de Gascogne (sud-ouest de la France). *Projets de paysage*, 22, 1-21.
- Delahay R.J., Sherman D., Soyalan B., Gaston K.J., 2024. Biodiversity in residential gardens: A review of the evidence base. *Biodiversity and Conservation*, 32, 4155-4179.
- Dmowski K., Kozakiewicz M., 1990. Influence of a shrub corridor on movements of passerine birds to a lake littoral zone. *Landscape Ecology*, 4(2-3), 99-108.
- Dondina O., Kataoka L., Orioli V., Bani L., 2016. How to manage hedgerows as effective ecological corridors for mammals: A two-species approach. *Agriculture, Ecosystems & Environment*, 231, 283-290.
- Doré F., Boissinot A., Galkowski C., 2023. Inventaire des fourmis des trognes de la Réserve naturelle régionale du Bocage des Antonins (Deux-Sèvres, France) (Hymenoptera : Formicidae). *Invertébrés Armoricaïns*, 25, 12-24.
- Dover J.W., Fry G.L.A., 2001. Experimental simulation of some visual and physical components of a hedge and the effects on butterfly behaviour in an agricultural landscape. *Entomologia Experimentalis et Applicata*, 100(2), 221-233.
- Dover J., Sparks T., 2000. A review of the ecology of butterflies in British hedgerows. *Journal of Environmental Management*, 60(1), 51-63.
- Duchesne T., Graitson E., Lourdais O., Ursenbacher S., Dufrêne M., 2022. Fine-scale vegetation complexity and habitat structure influence predation pressure on a declining snake. *Journal of Zoology*, 318(3), 205-217.
- Dupoué A., Stahlschmidt Z.R., Michaud B., Lourdais O., 2015. Physiological state influences evaporative water loss and microclimate preference in the snake *Vipera aspis*. *Physiology & Behavior*, 144, 82-89.
- French D.D., Cummins R.P., 2001. Classification, composition, richness and diversity of British hedgerows. *Applied Vegetation Science*, 4(2), 213-228.

- Frey-Ehrenbold A., Bontadina F., Arlettaz R., Obrist M.K., 2013. Landscape connectivity, habitat structure and activity of bat guilds in farmland-dominated matrices. *Journal of Applied Ecology*, 50(1), 252-261.
- Fried J.H., Levey A.D.J., Hogsette J.A., 2005. Habitat corridors function as both drift fences and movement conduits for dispersing flies. *Oecologia*, 143(4), 645-651.
- Frileux P., 2008. La haie et le bocage pavillonnaires : diversités d'un territoire périurbain, entre nature et artifice. Thèse du Muséum national d'Histoire naturelle, Paris.
- Frileux P., 2013. *Le bocage pavillonnaire. Une ethnologie de la haie*, éditions Créaphis, 288 p.
- Fritz R., Merriam G., 1993. Fencerow habitats for plants moving between farmland forests. *Biological Conservation*, 64(2), 141-148.
- Garibaldi L.A., Carvalheiro L.G., Leonhardt S.D., Aizen M.A., Blaauw B.R. *et al.*, 2014. From research to action: Enhancing crop yield through wild pollinators. *Frontiers in Ecology and the Environment*, 12(8), 439-447.
- Gebhardt A., Marguerie D., Visset L., Bernard V., Gaudin L., 2007. Des premiers agriculteurs aux bocages armoricains, les données des disciplines paléo-environnementales. In *Bocages et Sociétés* (Antoine A., Marguerie D., dir.), Presses universitaires de Rennes, p. 31. (coll. Espace et territoires).
- Gosling L., Sparks T.H., Araya Y., Harvey M., Ansine J., 2016. Differences between urban and rural hedges in England revealed by a citizen science project. *BMC Ecology*, 16(suppl. 1), S15.
- Graham L., Gaulton R., Gerard F., Staley J.T., 2018. The influence of hedgerow structural condition on wildlife habitat provision in farmed landscapes. *Biological Conservation*, 220, 122-131.
- Green R.E., Osborne P.E., Sears E.J., 1994. The distribution of passerine birds in hedgerows during the breeding season in relation to characteristics of the hedgerow and adjacent farmland. *The Journal of Applied Ecology*, 31(4), 677-692.
- Gril E., Laslier M., Gallet-Moron E., Durrieu S., Spicher F. *et al.*, 2023. Using airborne LiDAR to map forest microclimate temperature buffering or amplification. *Remote Sensing of Environment*, 298, 113820.
- Großmann J., Pyttel P., Bauhus J., Lecigne B., Messier C., 2020. The benefits of tree wounds: micro-habitat development in urban trees as affected by intensive tree maintenance. *Urban Forestry and Urban Greening*, 55, 126817.
- Guiller G., Vacher J.-P., 2022. La prairie permanente non pâturée : un habitat souvent délaissé pour la conservation des squamates du bocage. *Naturae*, 10, 193-203.
- Guillon M., Guiller G., DeNardo D.F., Lourdais O., 2014. Microclimate preferences correlate with contrasted evaporative water loss in parapatric vipers at their contact zone. *Canadian Journal of Zoology*, 92(1), 81-86.
- Heisler G.M., Dewalle D.R., 1988. 2. Effects of windbreak structure on wind flow. *Agriculture, Ecosystems & Environment*, 22/23, 41-69.
- Hinsley S.A., Bellamy P.E., 2000. The influence of hedge structure, management and landscape context on the value of hedgerows to birds: A review. *Journal of Environmental Management*, 60(1), 33-49.
- Holland J., Fahrig L., 2000. Effect of woody borders on insect density and diversity in crop fields: A landscape-scale analysis. *Agriculture, Ecosystems & Environment*, 78(2), 115-122.
- Janin A., Léna J., Deblois S., Joly P., 2012. Use of stress-hormone levels and habitat selection to assess functional connectivity of a landscape for an amphibian. *Conservation Biology*, 26(5), 923-931.
- Jehle R., Arntzen J.W., 2000. Post-breeding migrations of newts (*Triturus cristatus* and *T. marmoratus*) with contrasting ecological requirements. *Journal of Zoology*, 251(3), 297-306.
- Joly P., Miaud C., Lehmann A., Grolet O., 2001. Habitat matrix effects on pond occupancy in newts. *Conservation Biology*, 15(1), 239-248.
- Köhler A., Sadowska J., Olszewska J., Trzeciak P., Berger-Tal O., Tracy C.R., 2011. Staying warm or moist? Operative temperature and thermal preferences of common frogs (*Rana temporaria*). *Herpetological Journal*, 21, 17-26.
- Kremen C., Albrecht M., Ponisio L., 2019. Restoring pollinator communities and pollination services in hedgerows in intensively managed agricultural landscapes. In *The Ecology of Hedgerows and Field Margins* (Dover J.W., ed.), Oxon, Routledge, p. 163-185.

- Kremen C., M'Gonigle L.K., 2015. Small-scale restoration in intensive agricultural landscapes supports more specialized and less mobile pollinator species. *Journal of Applied Ecology*, 52(3), 602-610.
- Krewenka K.M., Holzschuh A., Tschardt T., Dormann C.F., 2011. Landscape elements as potential barriers and corridors for bees, wasps and parasitoids. *Biological Conservation*, 144(6), 1816-1825.
- Lacoeuilhe A., Machon N., Julien J.-F., Kerbiriou C., 2018. The relative effects of local and landscape characteristics of hedgerows on bats. *Diversity*, 10(3), 72.
- Larrieu L., Paillet Y., Winter S., Bütler R., Kraus D. *et al.*, 2018. Tree related microhabitats in temperate and Mediterranean European forests: A hierarchical typology for inventory standardization. *Ecological Indicators*, 84, 194-207.
- Le Viol I., Julliard R., Kerbiriou C., de Redon L., Carnino N. *et al.*, 2008. Plant and spider communities benefit differently from the presence of planted hedgerows in highway verges. *Biological Conservation*, 141(6), 1581-1590.
- Lecq S., Loisel A., Brischoux F., Mullin S.J., Bonnet X., 2017. Importance of ground refuges for the biodiversity in agricultural hedgerows. *Ecological Indicators*, 72, 615-626.
- Lelièvre H., Le Hénaff M., Blouin-Demers G., Naulleau G., Lourdaï O., 2010. Thermal strategies and energetics in two sympatric colubrid snakes with contrasted exposure. *Journal of Comparative Physiology B*, 180(3), 415-425.
- Lindman L., Öckinger E., Ranius T., 2023. Microclimate in hollow trees and how it affects an inhabiting beetle species, *Osmoderma eremita*. *Ecological Entomology*, 48(1), 112-126.
- Lourdaï O., Boissinot A., Mathiot A., Guiller G., Grillet P. *et al.*, 2025. Living in the hedge: Farmland reptile diversity is driven by hedgerow structural complexity and landscape connectivity. *Animal Conservation*, 28, 817-831.
- Mansion D., 2019. *Les trognes, l'arbre paysan aux mille usages*, éditions Ouest France, 168 p.
- Marshall E.J.P., Moonen A.C., 2002. Field margins in northern Europe: Their functions and interactions with agriculture. *Agriculture, Ecosystems & Environment*, 89(1-2), 5-21.
- Maudsley M., Seeley B., Lewis O., 2002. Spatial distribution patterns of predatory arthropods within an English hedgerow in early winter in relation to habitat variables. *Agriculture, Ecosystems & Environment*, 89(1-2), 77-89.
- McCollin D., Jackson J.I., Bunce R.G.H., Barr C.J., Stuart R., 2000. Hedgerows as habitat for woodland plants. *Journal of Environmental Management*, 60(1), 77-90.
- McNaughton K.G., 1988. 1. Effects of windbreaks on turbulent transport and microclimate. *Agriculture, Ecosystems & Environment*, 22/23, 17-39.
- M'Gonigle L.K., Williams N.M., Lonsdorf E., Kremen C., 2017. A tool for selecting plants when restoring habitat for pollinators. *Conservation Letters*, 10(1), 105-111.
- Niemelä J., Kotze D.J., Venn S., Penev L., Stoyanov I. *et al.*, 2002. Carabid beetle assemblages (Coleoptera, Carabidae) across urban-rural gradients: An international comparison. *Landscape Ecology*, 17, 387-401.
- Ozinga W.A., Bekker R.M., Schaminée J.H.J., Van Groenendaal J.M., 2004. Dispersal potential in plant communities depends on environmental conditions. *Journal of Ecology*, 92(5), 767-777.
- Pelletier-Guittier C., Théau J., Dupras J., 2020. Use of hedgerows by mammals in an intensive agricultural landscape. *Agriculture, Ecosystems & Environment*, 302, 107079.
- Petit S., Burel F., 1998. Effects of landscape dynamics on the metapopulation of a ground beetle (Coleoptera, Carabidae) in a hedgerow network. *Agriculture, Ecosystems & Environment*, 69(3), 243-252.
- Pichot D., 2007. Paysage et société féodale dans l'ouest de la France. In *Bocages et Sociétés* (Antoine A., Marguerie D., dir.), Presses universitaires de Rennes, p. 263-276. (coll. Espace et territoires).
- Pittman S.E., Osbourn M.S., Semlitsch R.D., 2014. Movement ecology of amphibians: A missing component for understanding population declines. *Biological Conservation*, 169, 44-53.
- Ponisio L.C., M'Gonigle L.K., Kremen C., 2016. On-farm habitat restoration counters biotic homogenization in intensively managed agriculture. *Global Change Biology*, 22(2), 704-715.

- Rand T.A., Tylianakis J.M., Tscharnkte T., 2006. Spillover edge effects: The dispersal of agriculturally subsidized insect natural enemies into adjacent natural habitats. *Ecology Letters*, 9(5), 603-614.
- Rebulard S., 2018. *Le défi alimentaire*, éditions Belin, 528 p.
- Rozen-Rechels D., Dupoué A., Lourdaïs O., Chamaillé-Jammes S., Meylan S. *et al.*, 2019. When water interacts with temperature: Ecological and evolutionary implications of thermo-hydroregulation in terrestrial ectotherms. *Ecology and Evolution*, 9(17), 10029-10043.
- Sachet S., 2024. Des origines à la désuétude du bocage : sociohistoire de la séparation progressive entre sylviculture et agriculture. *Pour*, 247(3), 71-83.
- Šálek M., Kreisinger J., Sedláček F., Albrecht T., 2009. Corridor vs. hayfield matrix use by mammalian predators in an agricultural landscape. *Agriculture, Ecosystems & Environment*, 134(1-2), 8-13.
- Schnabel F., Beugnon R., Yang B., Richter R., Eisenhauer N. *et al.*, 2025. Tree diversity increases forest temperature buffering via enhancing canopy density and structural diversity. *Ecology Letters*, 28(3), e70096.
- Schüepp C., Uzman D., Herzog F., Entling M.H., 2014. Habitat isolation affects plant-herbivore-enemy interactions on cherry trees. *Biological Control*, 71, 56-64.
- Sellier Y., 2023. Rapport final d'étude fongique de la réserve naturelle régionale des Antonins 2020-2023. GEREPI, Vouneuil-sur-Vienne, 65 p.
- Silva M., Prince M.E., 2008. The conservation value of hedgerows for small mammals in Prince Edward Island, Canada. *American Midland Naturalist*, 159(1), 110-124.
- Simon S., Sauphanor B., Defrance H., Lauri P.E., 2009. Manipulations des habitats du verger biologique et de son environnement pour le contrôle des bioagresseurs. Des éléments pour la modulation des relations arbre-ravageurs-auxiliaires. *Innovations agronomiques*, 4, 125-134.
- Slade E.M., Merckx T., Riutta T., Bebbber D.P., Redhead D. *et al.*, 2013. Life-history traits and landscape characteristics predict macro-moth responses to forest fragmentation. *Ecology*, 94(7), 1519-1530.
- Smith R.M., Thompson K., Hodgson J.G., Warren P. H., Gaston K.J., 2006b. Urban domestic gardens (IX): Composition and richness of the vascular plant flora, and implications for native biodiversity. *Biological Conservation*, 129, 312-322.
- Sotherton N.W., Wratten S.D., Price S.B., White R.J., 1981. Aspects of hedge management and their effects on hedgerow fauna. *Zeitschrift für Angewandte Entomologie*, 92(1-5), 425-432.
- Staley J.T., Botham M.S., Chapman R.E., Amy S.R., Heard M.S. *et al.*, 2016. Little and late: How reduced hedgerow cutting can benefit Lepidoptera. *Agriculture, Ecosystems & Environment*, 224, 22-28.
- Staley J.T., Botham M.S., Pywell R.F., 2019. Hedges for invertebrates and plants. How current and historic hedgerow management alters their structural condition and value as a semi-natural habitat. In *The Ecology of Hedgerows and Field Margins* (Dover J.W., ed.), Oxon, Routledge, p. 55-71.
- Staley J.T., Bullock J.M., Baldock K.C.R., Redhead J.W., Hooftman D.A.P. *et al.*, 2013. Changes in hedgerow floral diversity over 70 years in an English rural landscape, and the impacts of management. *Biological Conservation*, 167, 97-105.
- Staley J.T., Sparks T.H., Croxton P.J., Baldock K.C.R., Heard M.S. *et al.*, 2012. Long-term effects of hedgerow management policies on resource provision for wildlife. *Biological Conservation*, 145(1), 24-29.
- Tamang B., Andreu M.G., Rockwood D.L., 2010. Microclimate patterns on the leeward side of single-row tree windbreaks during different weather conditions in Florida farms: Implications for improved crop production. *Agroforestry Systems*, 79(1), 111-122.
- Tarcy N., Froidevaux J.S., Kerbiriou C., Leroux C., Matutini F., 2025. Managing hedgerows for biodiversity: Disentangling the effects of trimming, structure and connectivity on the use of linear features by bats. *Journal of Applied Ecology*, 62(12), 3300-3313.
- Tewksbury J.J., Levey D.J., Haddad N.M., Sargent S., Orrock J.L. *et al.*, 2002. Corridors affect plants, animals, and their interactions in fragmented landscapes. *Proceedings of the National Academy of Sciences*, 99(20), 12923-12926.
- Watteaux M., 2023. (re)Faire l'histoire du bocage : un atout pour la valorisation des paysages de haies champêtres ? *Pour*, 247(3), 53-62.

Wehling S., Diekmann M., 2009. Importance of hedgerows as habitat corridors for forest plants in agricultural landscapes. *Biological Conservation*, 142(11), 2522-2530.

Westrich P., 1996. Habitat requirements of central European bees and the problems of partial habitats. In *The Conservation of Bees* (Matheson A., Buchmann S.L., OtToole C., Westrich P., Williams I., eds), London, San Diego, New York, Academic press. (coll. Linnean society symposium series).

Wolton R., Morris R., Pollard K., Dover J., 2013. Understanding the combined biodiversity benefits of the component features of hedges. Report of Defra project BD5214, 017.

► Chapitre 2

Agrios G.N., 2005. *Plant Pathology, 5th Edition*, Elsevier, 922 p.

Agus F., Cassel D., Garrity D., 1997. Soil-water and soil physical properties under contour hedgerow systems on sloping oxisols. *Soil and Tillage Research*, 40(3-4), 185-199.

Allan E., Manning P., Alt F., Binkenstein J., Blaser S. *et al.*, 2015. Land use intensification alters ecosystem multifunctionality via loss of biodiversity and changes to functional composition. *Ecology Letters*, 18(8), 834-843.

Al Hassan D., Georgelin E., Delattre T., Burel F., Plantegenest M. *et al.*, 2013. Does the presence of grassy strips and landscape grain affect the spatial distribution of aphids and their carabid predators? *Agricultural and Forest Entomology*, 15(1), 24-33.

Alignier A., Raymond L., Deconchat M., Menozzi P., Monteil C. *et al.*, 2014. The effect of semi-natural habitats on aphids and their natural enemies across spatial and temporal scales. *Biological Control*, 77, 76-82.

Amy S.R., Heard M.S., Hartley S.E., George C.T., Pywell R.F., Staley J.T., 2015. Hedgerow rejuvenation management affects invertebrate communities through changes to habitat structure. *Basic and Applied Ecology*, 16(5), 443-451.

Arrouays D., Balesdent J., Germon J.C., Payet P.A., Soussana J.F., Stengel P., 2002. Contribution à la lutte contre l'effet de serre. Stocker du carbone dans les sols agricoles de France? Synthèse. Paris, INRA, Expertise scientifique collective. 36 p.

Aylor D.E., Ferrandino F.J., 1990. Initial spread of bean rust close to an inoculated bean leaf. *Phytopathology*, 80(12), 1469-1476.

Badenhausser I., Gross N., Mornet V., Roncoroni M., Saintilan A., Rusch A., 2020. Increasing amount and quality of green infrastructures at different scales promotes biological control in agricultural landscapes. *Agriculture, Ecosystems & Environment*, 290, 9.

Badly C., Strigler C.J., 1993. *Agrométéorologie des cultures multiples en régions chaudes*, Paris, Inra éditions, 246 p.

Bhar R., Fahrig L., 1998. Local vs. landscape effects of woody field borders as barriers to crop pest movement. *Ecology and Society*, 2(2), 3.

Bertrand B., 2020. *La Vannerie sauvage – vol.1*, Éditions de Terran, 216 p.

Bianchi F., Van Der Werf W., 2003. The effect of the area and configuration of hibernation sites on the control of aphids by *Coccinella septempunctata* (Coleoptera: Coccinellidae) in agricultural landscapes: A simulation study. *Environmental Entomology*, 32(6), 1290-1304.

Bianchi F.J., Booij C.J.H., Tscharntke T., 2006. Sustainable pest regulation in agricultural landscapes: a review on landscape composition, biodiversity and natural pest control. *Proceedings of the Royal Society B: Biological Sciences*, 273(1595), 1715-1727.

Biffi S., Chapman P.J., Grayson R.P., Ziv G., 2022. Soil carbon sequestration potential of planting hedgerows in agricultural landscapes. *Journal of Environmental Management*, 307, 114484.

Black K., Lanigan G., Ward M., Kavanagh I., hUallacháin D.Ó., Sullivan L.O., 2023. Biomass carbon stocks and stock changes in managed hedgerows. *Science of the Total Environment*, 871, 162073.

Boeing A.L., Nichols E., Metzger J.P., 2017. Effects of landscape structure on avian-mediated insect pest control services: A review. *Landscape Ecology*, 32(5), 931-944.

- Böhm C., Kanzler M., Freese D., 2014. Wind speed reductions as influenced by woody hedgerows grown for biomass in short rotation alley cropping systems in Germany. *Agroforestry Systems*, 88, 579-591.
- Boinot S., Alignier A., 2022. On the restoration of hedgerow ground vegetation: Local and landscape drivers of plant diversity and weed colonization. *Journal of Environmental Management*, 307, 114530.
- Boutin C., Jobin B., Bélanger L., Choinière L., 2002. Plant diversity in three types of hedgerows adjacent to cropfields. *Biodiversity and Conservation*, 11(1), 1-25.
- Boyles J.G., Cryan P.M., McCracken G.E., Kunz, T.H., 2011. Economic importance of bats in agriculture. *Science*, 332(6025), 41-42.
- Cammell M., Tatchell G., Woiwod I., 1989. Spatial pattern of abundance of the black bean aphid, *Aphis fabae*, in Britain. *Journal of Applied Ecology*, 26, 463-472.
- Cardinael R., Chevallier T., Barthès B.G., Saby N.P.A., Parent T. *et al.*, 2015. Impact of alley cropping agroforestry on stocks, forms and spatial distribution of soil organic carbon — A case study in a Mediterranean context. *Geoderma*, 259-260, 288-299.
- Carnet C., 1978. Étude des sols et de leur régime hydrique en région granitique en Bretagne : une approche du rôle du bocage. Rennes, université de Rennes, 235 p.
- Catalogne C., Le Hénaff G., 2017. Guide d'aide à l'implantation des zones tampons pour l'atténuation des transferts de contaminants d'origine agricole. Antony, Irstea, 64 p.
- Caubel V., Grimaldi C., Merot P., Grimaldi M., 2003. Influence of a hedge surrounding bottomland on seasonal soil-water movement. *Hydrological Processes*, 17, 1811-1821.
- Chambre d'agriculture d'Ille-et-Vilaine, 2015. Guide pratique : Produire du bois d'œuvre dans le bocage.
- Cole L.J., Baddeley J.A., Robertson D., Topp C.F.E., Walker R.L., Watson C.A., 2022. Supporting wild pollinators in agricultural landscapes through targeted legume mixtures. *Agriculture, Ecosystems & Environment*, 323(1), 107648.
- Courson E., Petit S., Poggi S., Ricci B., 2022. Weather and landscape drivers of the regional level of pest occurrence in arable agriculture: A multi-pest analysis at the French national scale. *Agriculture Ecosystems & Environment*, 338, 108105.
- Courson E., Ricci B., Muneret L., Petit S., 2024. Reducing pest pressure and insecticide use by increasing hedgerows in the landscape. *Science of the Total Environment*, 916, 170182.
- Coussement T., Maloteau S., Pardon P., Artru S., Ridley S. *et al.*, 2018. A tree-bordered field as a surrogate for agroforestry in temperate regions: Where does the water go? *Agricultural Water Management*, 210, 198-207.
- Couthouis E., Aviron S., Pétilion J., Alignier A., 2023. Ecological performance underlying ecosystem multifunctionality is promoted by organic farming and hedgerows at the local scale but not at the landscape scale. *Journal of Applied Ecology*, 60(1), 17-28.
- Debras J., Cousin M., Rieux R., 2002. Mesure de la ressemblance de ma faune utile du poirier avec celle de 43 espèces végétales pour optimiser la composition de haies réservoir d'auxiliaires. *Fruits*, 57, 55-65.
- Delaune T., Ouattara M.S., Ballot R., Sausse C., Felix I. *et al.*, 2021. Landscape drivers of pests and pathogens abundance in arable crops. *Ecography*, 44(10), 1429-1442.
- Delgado-Baquerizo M., Maestre F.T., Reich P.B., Jeffries T.C., Gaitan J.J. *et al.*, 2016. Microbial diversity drives multifunctionality in terrestrial ecosystems. *Nature Communications*, 7(1), 10541.
- Díaz-Siefer P., Tapia-Gatica J., Martínez-Harms J., Bergmann J., Celis-Diez J.L., 2021. A larval aggregation pheromone as foraging cue for insectivorous birds. *Biology letters*, 17(9), 20210360.
- Domenech G., Asselineau E., 2007. *De l'arbre au sol, les bois raméaux fragmentés*, éditions du Rouergue, 192 p.
- Dover J.W., 2019. Introduction to hedgerows and field margins. In *The Ecology of Hedgerows and Field Margins* (Dover J.W., ed.), Routledge, p. 1-34.
- Drexler S., Gensior A., Don A., 2021. Carbon sequestration in hedgerow biomass and soil in the temperate climate zone. *Regional Environmental Change*, 21, 74.

- Duelli P., Studer M., Marchand I., Jakob S., 1990. Population movements of arthropods between natural and cultivated areas. *Biological Conservation*, 54(3), 193-207.
- Dunning J.B., Danielson B.J., Pulliam H.R., 1992. Ecological processes that affect populations in complex landscapes. *Oikos*, 65(1), 169-175.
- Dupraz C., Blitz-Frayret C., Lecomte I., Molto Q., Reyes F., Gosme M., 2018. Influence of latitude on the light availability for intercrops in an agroforestry alley-cropping system. *Agroforestry Systems*, 92, 1019-1033.
- Eckert P.W., Albrecht M., Bertrand C., Gobet E., Herzog F. *et al.*, 2022. Effects of temporal floral resource availability and non-crop habitats on broad bean pollination. *Landscape Ecology*, 37(6), 1573-1586.
- Ehlers B.K., Bataillon T., Damgaard C.F., 2021. Ongoing decline in insect-pollinated plants across Danish grasslands. *Biology Letters*, 17(11), 20210493.
- Ellis P.R., 1999. The identification and exploitation of resistance in carrots and wild *Umbelliferae* to the carrot fly, *Psila rosae* (F.). *Integrated Pest Management Reviews*, 4, 259-268.
- Émile J.-C., Barre P., Delagarde R., Niderkorn V., Novak S., 2017. Les arbres, une ressource fourragère au pâturage pour des bovins laitiers? *Fourrages*, 230, 155-160.
- Follain S., Minasny B., McBratney A.B., Walter C., 2006. Simulation of soil thickness evolution in a complex agricultural landscape at fine spatial and temporal scales. *Geoderma*, 133, 71-86.
- Follain S., Walter C., Legout A., Lemerancier B., Dutin G., 2007. Induced effects of hedgerow networks on soil organic carbon storage within an agricultural landscape. *Geoderma*, 142, 80-95.
- Ford H., Healey J.R., Webb B., Pagella T.F., Smith, A.R., 2019. How do hedgerows influence soil organic carbon stock in livestock-grazed pasture? *Soil Use and Management*, 35, 576- 584.
- Forman R.T., Baudry J., 1984. Hedgerows and hedgerow networks in landscape ecology. *Environmental Management*, 8(6), 495-510.
- Galabert J.-L., 2022. Comprendre les cycles hydrologiques et cultiver l'eau, ISI.
- Galland S., Dind A., Schmid N., Mesbahi G., Dubois S. *et al.*, 2025. Rendement et valeur nutritive de sept espèces d'arbres fourragers. *Recherche agronomique suisse*, 16, 66-72.
- García A.F., Griffiths G.J., Thomas C.G., 2000. Density, distribution and dispersal of the carabid beetle *Nebria brevicollis* in two adjacent cereal fields. *Annals of Applied Biology*, 137(2), 89-97.
- Garcia K., Olimpi E.M., Karp D.S., Gonthier D.J., 2020. The good, the bad, and the risky: Can birds be incorporated as biological control agents into integrated pest management programs? *Journal of Integrated Pest Management*, 11(1), 1-11.
- Gareau T.L., Letourneau D.K., Shennan C., 2013. Relative densities of natural enemy and pest insects within California hedgerows. *Environmental Entomology*, 42(4), 688-702.
- Garfinkel M., Johnson M., 2015. Pest-removal services provided by birds on small organic farms in northern California. *Agriculture, Ecosystems & Environment*, 211, 24-31.
- Garibaldi L.A., Carvalheiro L.G., Leonhardt S.D., Aizen M.A., Blaauw B.R. *et al.*, 2014. From research to action: Enhancing crop yield through wild pollinators. *Frontiers in Ecology and the Environment*, 12(8), 439-447.
- Gerersdorfer T., Eitzinger J., Rischbeck P., 2009. Simulation of crop yield near hedgerows under aspects of a change climate: An austrian attempt. In *Climate Variability, Modeling Tools and Agricultural Decision-Making* (Utset A., ed.), Nova Science, p. 321-329.
- Ghazavi G., Thomas Z., Hamon Y., Marie J.C., Corson M., Merot P., 2008. Hedgerow impacts on soil-water transfer due to rainfall interception and root-water uptake. *Hydrological Processes*, 22, 4723-4735.
- Ghazavi R., Thomas Z., Hamon Y., Merot P., 2011. Soil water movement under a bottomland hedgerow during contrasting meteorological conditions. *Hydrological Processes*, 25, 1431-1442.
- Ghosh B., Dogra P., Bhattacharyya R., Sharma N., Dadhwal K., 2012. Effects of grass vegetation strips on soil conservation and crop yield under rainfed conditions in the Indian sub-Himalayas. *Soil Use and Management*, 28(4), 635-646.

- Ghosh D., Borzée A., 2024. Biological pest regulation can benefit from diverse predation modes. *Royal Society Open Science*, 11(9), 240535.
- Giling D.P., Beaumelle L., Phillips H.R., Cesarz S., Eisenhauer N. *et al.*, 2019. A niche for ecosystem multifunctionality in global change research. *Global Change Biology*, 25(3), 763-774.
- Goust J., 2017. *Arbres fourragers : de l'élevage paysan au respect de l'environnement*, éditions de Terran, 222 p.
- Guo M., Wang W., Kang H., Yang B., 2018. Changes in soil properties and erodibility of gully heads induced by vegetation restoration on the Loess Plateau, China. *Journal of Arid Land*, 10, 712-725.
- Guyot G., 1997. *Climatologie de l'environnement : de la plante aux écosystèmes*, Paris, Masson, 505 p.
- Haan N.L., Zhang Y.J., Landis D.A., 2020. Predicting landscape configuration effects on agricultural pest suppression. *Trends in Ecology & Evolution*, 35(2), 175-186.
- Hannon L.E., Sisk T.D., 2009. Hedgerows in an agri-natural landscape: Potential habitat value for native bees. *Biological Conservation*, 142(10), 2140-2154.
- Hao H.T., Grimaldi C., Walter C., Dutin G., Trinkler B., Merot P., 2015. Chloride concentration distribution under oak hedgerow: an indicator of the water-uptake zone of tree roots? *Plant and Soil*, 386, 357-369.
- Herbst M., Roberts J.M., Rosier P.T.W., Gowing D.J., 2007. Seasonal and interannual variability of canopy transpiration of a hedgerow in southern England. *Tree Physiology*, 27, 321-333.
- Hinsley S.A., Bellamy P.E., 2000. The influence of hedge structure, management and landscape context on the value of hedgerows to birds: A review. *Journal of environmental management*, 60(1), 33-49.
- Holland J.M., Bianchi F.J., Entling M.H., Moonen A.C., Smith B.M., Jeanneret P., 2016. Structure, function and management of semi-natural habitats for conservation biological control: A review of European studies. *Pest Management Science*, 72(9), 1638-1651.
- Hölting L., Beckmann M., Volk M., Cord A.F., 2019. Multifunctionality assessments – More than assessing multiple ecosystem functions and services? A quantitative literature review. *Ecological Indicators*, 103226-235.
- Hombegowda H.C., Adhikary P.P., Jakhar P., Madhu M., Barman D., 2019. Hedgerow intercropping impact on run-off, soil erosion, carbon sequestration and millet yield. *Nutrient Cycling in Agroecosystems*, 116, 103-116.
- Isaac L., Wood C., Shannon D., 2003. Pruning management effects on soil carbon and nitrogen in contour-hedgerow cropping with *Leucaena leucocephala* (Lam.) De Wit on sloping land in Haiti. *Nutrient Cycling in Agroecosystems*, 65(3), 253-263.
- Jacobs S.R., Webber H., Niether W., Grahmann K., Luettschwager D. *et al.*, 2022. Modification of the microclimate and water balance through the integration of trees into temperate cropping systems. *Agricultural and Forest Meteorology*, 323, 109065.
- Jauzein P., 2011. *Flore des champs cultivés*, Versailles, éditions Quæ, 898 p.
- Groot J.C.J., Jellema A., Rossing W.A.H. 2010. Designing a hedgerow network in a multifunctional agricultural landscape: Balancing trade-offs among ecological quality, landscape character and implementation costs. *European Journal of Agronomy*, 32(1), 112-119.
- Jing X., Sanders N.J., Shi Y., Chu H., Classen A.T. *et al.*, 2015. The links between ecosystem multifunctionality and above-and belowground biodiversity are mediated by climate. *Nature Communications*, 6(1), 8159.
- Johnson R., Beck M., 1988. 17. Influences of shelterbelts on wildlife management and biology. *Agriculture, Ecosystems & Environment*, 22, 301-335.
- Kanzler M., Böhm C., Mirck J., Schmitt D., Veste M., 2019. Microclimate effects on evaporation and winter wheat (*Triticum aestivum* L.) yield within a temperate agroforestry system. *Agroforestry Systems*, 93, 1821-1841.
- Kort J., 1988. Benefits of windbreaks to field and forage crops. *Agriculture, Ecosystems & Environment*, 22, 165-190.
- Kovar P., Kovarova M., Bunce R., Ineson P., Brabec E., 1997. Role of hedgerows as nitrogen sink in agricultural landscape of Wensleydale, Northern England. *Preslia Praha*, 68, 273-284.

- Kross S.M., Kelsey T.R., Mccoll C.J., Townsend J.M., 2016. Field-scale habitat complexity enhances avian conservation and avian-mediated pest-control services in an intensive agricultural crop. *Agriculture, Ecosystems & Environment*, 225, 140-149.
- Lacoste M., 2012. Évolution des sols à l'échelle du paysage sous des conditions de changement climatique et de structure du paysage. Thèse de doctorat, Agrocampus Ouest Rennes, 241 p.
- Langer V., 2001. The potential of leys and short rotation coppice hedges as reservoirs for parasitoids of cereal aphids in organic agriculture. *Agriculture, Ecosystems & Environment*, 87(1), 81-92.
- Le Féon V., Burel F., Chifflet R., Henry M., Ricroch A. *et al.*, 2013. Solitary bee abundance and species richness in dynamic agricultural landscapes. *Agriculture, Ecosystems & Environment*, 166, 94-101.
- Leather S.R., 1993. Overwintering in six arable aphid pests: A review with particular relevance to pest management. *Journal of Applied Entomology*, 116(1-5), 217-233.
- Lefebvre M., Papaix J., Mollot G., Deschodt P., Lavigne C. *et al.*, 2017. Bayesian inferences of arthropod movements between hedgerows and orchards. *Basic and Applied Ecology*, 21, 76-84.
- Lefcheck J.S., Byrnes J.E.K., Isbell F., Gamfeldt L., Griffin J.N. *et al.*, 2015. Biodiversity enhances ecosystem multifunctionality across trophic levels and habitats. *Nature Communications*, 6, 6936.
- Lesaint L., Viaud V., Menasseri S., 2023. Influence of soil properties and land use on organic carbon storage in agricultural soils near hedges. *Soil Use and Management*, 39, 1140-1154.
- Leterme E., 2018. *La biodiversité, amie du verger*, Éditions du Rouergue, 224 p.
- Lin C., Tu S., Huang J., Chen Y., 2009. The effect of plant hedgerows on the spatial distribution of soil erosion and soil fertility on sloping farmland in the purple-soil area of China. *Soil and tillage research*, 105(2), 307-312.
- Loreau M., Hector A., 2001. Partitioning selection and complementarity in biodiversity experiments. *Nature*, 412(6842), 72-76.
- Lourdais O., Boissinot A., Mathiot A., Guiller G., Grillet P. *et al.*, 2025. Living in the hedge: Farmland reptile diversity is driven by hedgerow structural complexity and landscape connectivity. *Animal Conservation*, 28, 817-831.
- M'Gonigle L.K., Ponisio L.C., Cutler K., Kremen C., 2015. Habitat restoration promotes pollinator persistence and colonization in intensively managed agriculture. *Ecological Applications*, 25(6), 1557-1565.
- Marja R., Kleijn D., Tschamntke T., Klein A.-M., Frank T., Batáry P., 2019. Effectiveness of agri-environmental management on pollinators is moderated more by ecological contrast than by landscape structure or land-use intensity. *Ecology Letters*, 22(9), 1493-1500.
- Marrou J., Quiot J.B., Duteil M., Labonne G., Leclant F., Renoust M., 1979. Ecology and epidemiology of cucumber mosaic virus: effects of natural windbreaks and surrounding vegetable crops on cucumber mosaic virus (CMV) epidemics. *Annual Review of Phytopathology*, 11, 375-392.
- Martin E.A., Dainese M., Clough Y., Baldi A., Bommarco R. *et al.*, 2019. The interplay of landscape composition and configuration: New pathways to manage functional biodiversity and agroecosystem services across Europe. *Ecology Letters*, 22(7), 1083-1094.
- Martin-Chave A., Béral C., 2023. Rapport 6 RESPHAIES AGROOF – Effets microclimatiques, 38 p.
- Maudsley M., Seeley B., Lewis O., 2002. Spatial distribution patterns of predatory arthropods within an English hedgerow in early winter in relation to habitat variables. *Agriculture, Ecosystems & Environment*, 89(1-2), 77-89.
- Mauremooto J., Wratten S., Worner S., Fry G., 1995. Permeability of hedgerows to predatory carabid beetles. *Agriculture, Ecosystems & Environment*, 52(2-3), 141-148.
- Maestre F.T., Quero J.L., Gotelli N.J., Escudero A., Ochoa V. *et al.*, 2012. Plant species richness and ecosystem multifunctionality in global drylands. *Science*, 335(6065), 214-218.
- Mérot P., Gascuel-Oudoux C., Walter C., Zhang X., Molenat J., 1999. Influence du réseau de haies des paysages bocagers sur le cheminement de l'eau de surface. *Revue des sciences de l'eau*, 12, 23-44.
- Millennium Ecosystem Assessment, 2005. *Ecosystems and Human Well-Being: Wetlands and Water*, World Resources Institute.

- Minasny B., Malone B.P., McBratney A.B., Angers D.A., Arrouays D. *et al.*, 2017. Soil carbon 4 per mille. *Geoderma*, 292, 59-86.
- Morandin L.A., Kremen C., 2013. Hedgerow restoration promotes pollinator populations and exports native bees to adjacent fields. *Ecological Applications*, 23(4), 829-839.
- Morandin L., Long R.F., Pease C., Kremen C., 2011. Hedgerows enhance beneficial insects on farms in California's Central Valley. *California Agriculture*, 65(4), 197-201.
- Morandin L.A., Long R.F., Kremen C., 2014. Hedgerows enhance beneficial insects on adjacent tomato fields in an intensive agricultural landscape. *Agriculture, Ecosystems & Environment*, 189, 164-170.
- Moreau J.-C., Beral C., Hannachi Y., Lavoyer S., Monier S. *et al.*, 2020. ARBELE – L'arbre dans les exploitations d'élevage herbivore : des fonctions et usages multiples. *Innovations agronomiques*, 79, 499-521.
- Mossu G., 1990. *Le cacaoyer*, Paris, Maisonneuve et Larose, 160 p. (Coll Le technicien d'agriculture tropicale).
- Neyret M., Richards D., Prima M.-C., Etherington T.R., Lavorel S., 2025. One cannot have it all: Trading-off ecosystem services and biodiversity bundles in landscape connectivity restoration. *Biological Conservation*, 302, 110946.
- Norton R.L., 1988. 11. Windbreaks: Benefits to orchard and vineyard crops. *Agriculture, Ecosystems & Environment*, 22-23(C), 205-213.
- Novak S., Delagarde R., Fiorelli J.-L., 2013. Conception d'un système fourrager bioclimatique : la démarche initiée à Lusignan. *Fourrages*, 215, 241-246.
- Nuberg I., 1998. Effect of shelter on temperate crops: A review to define research for Australian conditions. *Agroforestry Systems*, 41(1), 3-34.
- Ortega-Ramos P.A., Coston D.J., Seimandi-Corda G., Mauchline A.L., Cook S.M., 2022. Integrated pest management strategies for cabbage stem flea beetle (*Psylliodes chrysocephala*) in oilseed rape. *Global Change Biology Bioenergy*, 14(3), 267-286.
- Paredes D., Cayuela L., Campos M., 2013. Synergistic effects of ground cover and adjacent vegetation on natural enemies of olive insect pests. *Agriculture, Ecosystems & Environment*, 173, 72-80.
- Paulsen H.M., Bauer B., 2009. Soil organic carbon stocks in hedge-banks as agricultural marginal areas. In *Ressortforschung für den ökologischen Landbau 2008* (Rahmann G., ed.), Johann Heinrich von Thünen-Institut – Bundesforschungsinstitut für Ländliche Räume, Wald und Fischerei (vTI), Braunschweig, p. 73-80.
- Pavlidis G., Tsihrintzis V.A., 2018. Environmental benefits and control of pollution to surface water and groundwater by agroforestry systems: A review. *Water Resources Management*, 32, 1-29.
- Pellerin S., Bamière L., Angers D., Béline F., Benoît M. *et al.*, 2013. Quelle contribution de l'agriculture française à la réduction des émissions de gaz à effet de serre ? Potentiel d'atténuation et coût de dix actions techniques. Synthèse du rapport d'étude, INRA, 92 p.
- Pellerin S., Bamière L., Launay C., Martin R., Schiavo M. *et al.*, 2020. Stocker du carbone dans les sols français, quel potentiel au regard de l'objectif 4 pour 1000 et à quel coût ? Rapport scientifique de l'étude, INRA, 540 p.
- Petit S., Alignier A., Colbach N., Joannon A., Le Cœur D., Thenail C., 2013. Weed dispersal by farming at various spatial scales. A review. *Agronomy for Sustainable Development*, 33(1), 205-217.
- Pigot J., Gardarin A., Doré T., Morisseau A., Valantin-Morison M., 2024. Unlike woodland edges, flower strips do not act as a refuge for cabbage stem flea beetle aestivation. *Pest Management Science*, 80(5), 2325-2332.
- Pointereau P., 2004. L'arbre et le paysage enjeux environnementaux et reconnaissance de la multifonctionnalité.
- Ponisio L.C., De Valpine P., M'gonigle L.K., Kremen C., 2019. Proximity of restored hedgerows interacts with local floral diversity and species' traits to shape long-term pollinator metacommunity dynamics. *Ecology Letters*, 22(7), 1048-1060.
- Porcel M., Andersson G.K., Pålsson J., Tasin M., 2018. Organic management in apple orchards: Higher impacts on biological control than on pollination. *Journal of Applied Ecology*, 55(6), 2779-2789.

- Potts S.G., Imperatriz-Fonseca V., Ngo H.T., Aizen M.A., Biesmeijer J.C. *et al.*, 2016. Safeguarding pollinators and their values to human well-being. *Nature*, 540(7632), 220-229.
- Rachman A., Anderson S.H., Gantzer C.J., Thompson A.L., 2004. Influence of stiff-stemmed grass hedge systems on infiltration. *Soil Science Society of America Journal*, 68, 2000-2006.
- Recous S., Coppens F., Abiven S., Garnier P., Merckx R., 2008. Carbon and nitrogen dynamics in soils: Effects of residue quality and localization. In *Management of Agroforestry Systems for Enhancing Resource Use Efficiency and Crop Productivity*, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Vienna, p. 99-105.
- Réseau Haies France, 2023. Projet Resp'Haies. Rapport n°7 : Quelles sont les conditions de rentabilité des haies pour une parcelle de grande culture ? <https://reseauhaies.fr/rapport-7/>
- Reulier R., Delahaye D., Viel V., 2019. Agricultural landscape evolution and structural connectivity to the river for matter flux, a multi-agents simulation approach. *CATENA*, 174, 524-535.
- Ricci B., Franck P., Bouvier J.-C., Casado D., Lavigne C., 2011. Effects of hedgerow characteristics on intra-orchard distribution of larval codling moth. *Agriculture, Ecosystems & Environment*, 140(3-4), 395-400.
- Rieux R., Simon S., Defrance H., 1999. Role of hedgerows and ground cover management on arthropod populations in pear orchards. *Agriculture, Ecosystems & Environment*, 73(2), 119-127.
- Rolo V., Rocas-Diaz J.V., Torralba M., Kay S., Fagerholm N. *et al.*, 2021. Mixtures of forest and agroforestry alleviate trade-offs between ecosystem services in European rural landscapes. *Ecosystem Services*, 50, 101318.
- Roschewitz I., Gabriel D., Tschardt T., Thies C., 2005. The effects of landscape complexity on arable weed species diversity in organic and conventional farming. *Journal of Applied Ecology*, 42(5), 873-882.
- Rosenheim J.A., Wilhoit L.R., Armer C.A., 1993. Influence of intraguild predation among generalist insect predators on the suppression of an herbivore population. *Oecologia*, 96(3), 439-449.
- Roy H.E., Brown P.M.J., Adriaens T., Berkvens N., Borges I. *et al.*, 2016. The harlequin ladybird, *Harmonia axyridis*: Global perspectives on invasion history and ecology. *Biological Invasions*, 18(4), 997-1044.
- Rusch A., Bommarco R., Jonsson M., Smith H.G., Ekbom B., 2013. Flow and stability of natural pest control services depend on complexity and crop rotation at the landscape scale. *Journal of Applied Ecology*, 50(2), 345-354.
- Russ J., Montgomery W., 2002. Habitat associations of bats in Northern Ireland: Implications for conservation. *Biological Conservation*, 108(1), 49-58.
- Ryszkowski L., Kędziora A., 1987. Impact of agricultural landscape structure on energy flow and water cycling. *Landscape Ecology*, 1, 85-94.
- Sardiñas H.S., Kremen C., 2015. Pollination services from field-scale agricultural diversification may be context-dependent. *Agriculture, Ecosystems & Environment*, 207, 17-25.
- Schroth G., Balle P., Peltier R., 1995. Alley cropping groundnut with *Gliricidia sepium* in Côte d'Ivoire: Effects on yields, microclimate and crop diseases. *Agroforestry Systems*, 29(2), 147-163.
- Schroth G., Krauss U., Gasparotto L., Duarte Aguilar J.A., Vohland K., 2000. Pests and diseases in agroforestry systems of the humid tropics. *Agroforestry Systems*, 50(3), 199-241.
- Sitzia T., Pizzeghello D., Dainese M., Ertani A., Carletti P. *et al.*, 2014. Topsoil organic matter properties in contrasted hedgerow vegetation types. *Plant and Soil*, 383(1), 337-348.
- Sorribas J.J., González Cervero S., Domínguez Gento A., Vercher Aznar R., 2016. Abundance, movements and biodiversity of flying predatory insects in crop and non-crop agroecosystems. *Agronomy for Sustainable Development*, 36, 34.
- Sotherton N., Wratten S., Price S., White R., 1981. Aspects of hedge management and their effects on hedgerow fauna. *Zeitschrift für angewandte Entomologie*, 92(1-5), 425-432.
- Stürck J., Verburg P.H., 2017. Multifunctionality at what scale? A landscape multifunctionality assessment for the European Union under conditions of land use change. *Landscape Ecology*, 32(3), 481-500.

- Tamburini G., De Simone S., Sigura M., Boscutti F., Marini L., 2016. Conservation tillage mitigates the negative effect of landscape simplification on biological control. *Journal of Applied Ecology*, 53(1), 233-241.
- Thevs N., Strengé E., Aliev K., Eraaliev M., Lang P. *et al.*, 2017. Tree shelterbelts as an element to improve water resource management in Central Asia. *Water*, 9(11), 842.
- Thies C., Tscharntke T., 1999. Landscape structure and biological control in agroecosystems. *Science*, 285(5429), 893-895.
- Thomas Z., Abbott B.W., 2018. Hedgerows reduce nitrate flux at hillslope and catchment scales via root uptake and secondary effects. *Journal of Contaminant Hydrology*, 215, 51-61.
- Tilman D., Knops J., Wedin D., Reich P., Ritchie M., Siemann E., 1997. The influence of functional diversity and composition on ecosystem processes. *Science*, 277(5330), 1300-1302.
- Tscharntke T., Klein A.M., Krüess A., Steffan-Dewenter I., Thies C., 2005. Landscape perspectives on agricultural intensification and biodiversity–ecosystem service management. *Ecology Letters*, 8(8), 857-874.
- Tscharntke T., Tylianakis J.M., Rand T.A., Didham R.K., Fahrig L. *et al.*, 2012. Landscape moderation of biodiversity patterns and processes-eight hypotheses. *Biological Reviews*, 87(3), 661-685.
- Tschumi M., Albrecht M., Entling M.H., Jacot K., 2015. High effectiveness of tailored flower strips in reducing pests and crop plant damage. *Proceedings of the Royal Society B-Biological Sciences*, 282(1814), 189-196.
- Tuneu-Corral C., Puig-Montserrat X., Riba-Bertolín D., Russo D., Rebelo H. *et al.*, 2023. Pest suppression by bats and management strategies to favour it: A global review. *Biological Reviews*, 98(5), 1564-1582.
- Turner W.R., Brandon K., Brooks T.M., Costanza R., Da Fonseca G.A.B., Portela R., 2007. Global conservation of biodiversity and ecosystem services. *BioScience*, 57(10), 868-873.
- Upton M.A., Burgess P.J., 2013. Soil organic carbon and root distribution in a temperate arable agroforestry system. *Plant and Soil*, 373(1-2), 43-58.
- Van Den Berge S., Vangansbeke P., Baeten L., Vanneste T., Vos F., Verheyen K., 2021. Soil carbon of hedgerows and 'ghost' hedgerows. *Agroforestry Systems*, 95, 1087-1103.
- Van Huylenbroeck G., Vandermeulen V., Mettepenningen E., Verspecht A., 2007. Multifunctionality of agriculture: A review of definitions, evidence and instruments. *Living Reviews in Landscape Research*, 1(3), 1-43.
- van Vooren L., Reubens B., Broekx S., Nelissen V., Pardon P., Verheyen K., 2017. Ecosystem service delivery of agri-environment measures: A synthesis for hedgerows and grass strips on arable land. *Agriculture, Ecosystems & Environment*, 244, 32-51.
- Vanneste T., Govaert S., Spicher E., Brunet J., Cousins S.A.O. *et al.*, 2020. Contrasting microclimates among hedgerows and woodlands across temperate Europe. *Agricultural and Forest Meteorology*, 281, 107818.
- Varah A., Jones H., Smith J., Potts S., 2020. Temperate agroforestry systems provide greater pollination service than monoculture. *Agriculture, Ecosystems & Environment*, 301, 107031.
- Venturini E.M., Drummond F.A., Hoshida A.K., Dibble A.C., Stack L.B., 2017. Pollination reservoirs for wild bee habitat enhancement in cropping systems: A review. *Agroecology and Sustainable Food Systems*, 41(2), 101-142.
- Viaud V., Grimaldi C., Merot P., 2009. Impact des haies sur la ressource en eau et en sol à partir de l'exemple de la Bretagne : résultats récents et perspectives. *Revue forestière française*, 61(5), 493-502.
- Viaud V., Thomas Z., 2019. Une réflexion sur l'état des connaissances des fonctions du bocage pour l'eau dans une perspective de mobilisation pour l'action. *Sciences, Eaux et Territoires*, 30(4), 32-37.
- Wallace E.E., McShane G., Tych W., Kretschmar A., McCann T., Chappell N.A., 2021. The effect of hedgerow wild-margins on topsoil hydraulic properties, and overland-flow incidence, magnitude and water-quality. *Hydrological Processes*, 35, e14098.
- Ward R.L., 2018. The biology and ecology of *Bruchus rufimanus* (bean seed beetle), Ph.D. thesis, Newcastle University, United Kingdom, 216 p.

Whelan C.J., Şekercioğlu Ç.H., Wenny D.G., 2015. Why birds matter: From economic ornithology to ecosystem services. *Journal of Ornithology*, 156(Suppl 1), 227-238.

Wissinger S.A., 1997. Cyclic colonization in predictably ephemeral habitats: A template for biological control in annual crop systems. *Biological Control*, 10(1), 4-15.

Wratten S.D., Bowie M.H., Hickman J.M., Evans A.M., Sedcole J.R., Tylanakis J.M., 2003. Field boundaries as barriers to movement of hover flies (Diptera: Syrphidae) in cultivated land. *Oecologia*, 134(4), 605-611.

Xiao H., Xiang R., Yan R., Xia Z., Guo P. *et al.*, 2024. Evaluating the influences hedgerow on soil erosion and nitrogen loss of purple soil sloping farmland under simulated rainfall. *Ecological Indicators*, 158, 111438.

Yamoah C.F., Burleigh J.R., 1990. Alley cropping *Sesbania sesban* (L) Merrill with food crops in the highland region of Rwanda. *Agroforestry Systems*, 10(2), 169-181.

Zhu X., Liu W., Chen J., Bruijnzeel L.A., Mao Z. *et al.*, 2020. Reductions in water, soil and nutrient losses and pesticide pollution in agroforestry practices: A review of evidence and processes. *Plant Soil*, 453, 45-86.

► Chapitre 3

Agreste, 2023. Les exploitations bovines en France métropolitaine en 2020. Les dossiers de l'Agreste, n° 4, 19 p.

Angles S., 2023. Les haies d'oliviers complantées : la disparition d'une forme paysagère traditionnelle. *POUR*, 247, 97-106.

Antoine A., 2000. L'agriculture de la France septentrionale. In *L'agriculture en Europe occidentale à l'époque moderne* (Antoine A., Boehler J.-M., Brumont F., eds), Paris, Belin, p. 11-64.

Bloch M., 1931. *Les caractères originaux de l'histoire rurale française*, Paris, Armand Colin.

Boinon J.-P., 2011. Les politiques foncières agricoles en France depuis 1945. *Économie et statistique*, 244-245, 19-37

Charpentier E., 2021. *Les campagnes françaises à l'époque moderne*, Paris, Armand Colin, 368 p.

Chouquer G., 2000. *L'étude des paysages : essais sur leurs formes et leur histoire*, Paris, Éditions Errance.

Deconchat M., Durpoix A., Bonnet C., Farruggia A., Thenail C., 2025. Rapport final du projet Salto, INRAE, 407 p.

Flatrès P., 1979. L'évolution des bocages : la région Bretagne. *Norois*, 103, 303-320.

Landais E., Deffontaines J.-P., 1988. Les pratiques des agriculteurs. Point de vue sur un nouveau courant de la recherche agronomique. *Études rurales*, 109, 125-158

Lyautey M., Humbert L., Bonneuil B. (dir.), 2021. *Histoire des modernisations agricoles au xx^e siècle*, Presses universitaires de Rennes, 365 p.

Marie M., 2009. Des pratiques des agriculteurs à la production de paysage de bocage. Étude comparée des dynamiques et des logiques d'organisation spatiale des systèmes agricoles laitiers en Europe (Basse-Normandie, Galice, Sud de l'Angleterre). Thèse de doctorat – Géographie physique, humaine, économique et régionale, université de Caen – Basse Normandie, Caen, 519 p.

Mathieu A., 1953. Transformations récentes et état actuel de la structure agraire et de l'économie rurale en Lorraine centrale. *Bulletin de l'Association de géographes français*, 151-159.

Prével M., 2008. Le productivisme agricole. *Études rurales*, 181, 115-132.

Renard J., 2012. *Les campagnes nantaises. Un demi-siècle de révolutions sociales et paysagères (1960-2010)*, Presses universitaires de Rennes.

Sachet S., 2020. L'arbre en agriculture, trajectoire d'un problème socio-écologique et reconfigurations des interdépendances au nom de l'agroécologie. Thèse de sociologie, université de Bordeaux, 490 p.

Sée H., 1926. La vaine pâture en France sous la Monarchie de Juillet d'après l'enquête de 1836-1838. *Revue d'histoire moderne*, 1, 198-213

Thenail C., Moonen A.C., Lardon S., Marraccini E., Rizzo D., 2022. Chapter 10. Landscape agronomy: Lessons learned and challenges ahead, from a European perspective. In *Landscape Agronomy: Advances and Challenges of a Territorial Approach to Agricultural Issues* (Rizzo D., Marraccini E., Lardon S., eds), Springer Verlag, p. 271-294.

Vannier C., 2012. Analyse spatiale de structures paysagères en contexte agricole bocager. *Cybergeo : European Journal of Geography, Environnement, Nature, Paysage*, 607, en ligne.

► Chapitre 4

Bannister M.E., Nair P.K.R., 2003. Agroforestry adoption in Haiti: The importance of household and farm characteristics. *Agroforestry Systems*, 57, 149-157.

Brodt S.B., Fontana N.M., Archer L.F., 2020. Feasibility and sustainability of agroforestry in temperate industrialized agriculture: Preliminary insights from California. *Renewable Agriculture and Food Systems*, 35, 513-521.

Burgess P.J., Rosati A., 2018. Advances in European agroforestry: Results from the AGFORWARD project. *Agroforestry Systems*, 92, 801-810.

Busck A.G., 2002. Farmers' landscape decisions: Relationships between farmers' values and landscape practices. *Sociologia Ruralis*, 42, 233-249.

Byerly H., Kross S.M., Niles M.T., Fisher B., 2021. Applications of behavioral science to biodiversity management in agricultural landscapes: Conceptual mapping and a California case study. *Environmental Monitoring and Assessment*, 193.

Carlisle L., Esquivel K., Baur P., Ichikawa N.F., Olimpi E.M. *et al.*, 2022. Organic farmers face persistent barriers to adopting diversification practices in California's Central Coast. *Agroecology and Sustainable Food Systems*, 46, 1145-1172.

Casagrande M., Alletto L., Naudin C., Lenoir A., Siah A., Celette F., 2017. Enhancing planned and associated biodiversity in French farming systems. *Agronomy for Sustainable Development*, 37, 57.

Casagrande M., Belmin R., Boulestreau Y., Le Bail M., Navarrete M., Meynard J.-M., 2023. Guide méthodologique pour le diagnostic des freins et leviers sociotechniques aux processus d'innovation dans des systèmes agri-alimentaires.

Colson F., Almandoz I., Stenger A., 1996. La participation des agriculteurs à l'amélioration du paysage. *Le Courrier de l'environnement de l'INRA*, 28, 19-26.

Cullen P., Hynes S., Ryan M., O'Donoghue C., 2021. More than two decades of agri-environment schemes: Has the profile of participating farms changed? *Journal of Environmental Management*, 292, 112826.

da Silva F.O., Arellano E.C., Viana B.F., Silva-Ferreira V., Oliveira-Rebouças P. *et al.*, 2024. Co-production of agroecological innovations to improve sustainability in South American fruit farms. *People and Nature*, 6, 833-848.

Dalton T.J., Lilja N.K., Johnson N., Howeler R., 2011. Farmer participatory research and soil conservation in Southeast Asian cassava systems. *World Development*, 39, 2176-2186.

Defrancesco E., Gatto P., Mozzato D., 2018. To leave or not to leave? Understanding determinants of farmers' choices to remain in or abandon agri-environmental schemes. *Land Use Policy*, 76, 460-470.

Emery S.B., Franks J.R., 2012. The potential for collaborative agri-environment schemes in England: Can a well-designed collaborative approach address farmers' concerns with current schemes? *Journal of Rural Studies*, 28, 218-231.

Fujisaka S., 1994. Learning from six reasons why farmers do not adopt innovations intended to improve sustainability of upland agriculture. *Agricultural Systems*, 46, 409-425.

Gauthier L., 2023. Faire territoire autour de l'arbre champêtre : initiatives agroforestières au prisme des communs, une approche pluriscale. Thèse de Géographie, université Toulouse-le-Mirail – Toulouse II.

Hossard L., Schneider C., Voltz M., 2022. A role-playing game to stimulate thinking about vineyard management practices to limit pesticide use and impacts. *Journal of Cleaner Production*, 380, 134913.

Klebl F., Rhodes J.R., Häfner K., Piorr A., 2025. Connecting habitats in European agricultural landscapes: Farmers' spatial preferences for linear wildlife corridors. *Landscape and Urban Planning*, 258, 105325.

Kohler F., Thierry C., Marchand G., 2014. Multifunctional agriculture and farmers' attitudes: Two case studies in rural France. *Human Ecology*, 42, 929-949.

Labant P., 2020. Le dispositif spatial agroforestier à la croisée des champs : une approche pluridisciplinaire du développement de l'agroforesterie en France. Thèse en Environnement et société, université Toulouse-le-Mirail-Toulouse II, 341 p.

Lamine C., Barbier M. (eds), 2018. Synthèse des résultats – Projet de recherche Observatoire socio-logique des transitions agroécologiques. INRA-MAAF-CASDAR.

Lawry S., Stienbarger D., Jabbar M.A., 1994. Land-tenure and the potential for the adoption of alley farming in West-Africa. *Outlook on Agriculture*, 23, 183-187.

Le Du-Blayot L., Le Coeur D., Thenail C., Burel F., Baudry J., 2007. Les nouvelles haies des programmes de replantation : évaluation de leur qualité écologique et leur entretien dans les exploitations agricoles. In *Paysages : de la connaissance à l'action* (Berlan-Darqué M., Luginbühl Y., Terrasson D., eds.), Versailles, éditions Quæ, p. 179-193.

Magcale-Macandog D.B., Visco R.G., Delgado M.E.M., 2006. Agroforestry adoption, innovations and smallholder farmers' motivations in tropical uplands of Southern Philippines. *Journal of Sustainable Agriculture*, 28, 131-143.

Magnin L., 2023. Un bon paysage est-il un paysage numérisé ? Les angles morts politiques du réflexe cartographique. *POUR*, 247, 63-69.

Mayen P., 2013. Apprendre à produire autrement : quelques conséquences pour former à produire autrement. *POUR*, 219, 247-270.

Mayen P., Lainé A. (eds), 2014. *Apprendre à travailler avec le vivant. Développement durable et didactique professionnelle*, éditions Raisons et Passions.

McKenzie A.J., Emery S.B., Franks J.R., Whittingham M.J., 2013. FORUM: Landscape-scale conservation: Collaborative agri-environment schemes could benefit both biodiversity and ecosystem services, but will farmers be willing to participate? *Journal of Applied Ecology*, 50, 1274-1280.

Moret C., Jouan S., Lebreton L., 2019. Retour d'expérience – Les filières du bocage, de la gestion durable à la production de bois d'œuvre et de bois énergie : retour d'expérience sur le territoire de Lannion-Trégor Communauté. *Sciences Eaux & Territoires*, 22-25.

Mosquera-Losada M.R., Santiago-Freijanes J.J., Pisanelli A., Rois-Díaz M., Smith J. *et al.*, 2018. Agroforestry in the European common agricultural policy. *Agroforestry Systems*, 92, 1117-1127.

Pannell D.J., 1999. Social and economic challenges in the development of complex farming systems. *Agroforestry Systems*, 45, 395-411.

Peltier C., Gaborieau I., 2023. Former à la gestion des haies multifonctionnelles : accompagnement d'équipes pédagogiques engagées dans des dispositifs partenariaux territoriaux et scientifiques. *POUR*, 247, 259-272.

Penvern S., Fernique S., Cardona A., Herz A., Ahrenfeldt E. *et al.*, 2019. Farmers' management of functional biodiversity goes beyond pest management in organic European apple orchards. *Agriculture, Ecosystems & Environment*, 284, 106555.

Picot C., Maurincomme J., 2023. Le Concours général agricole des pratiques agroécologiques – Agroforesterie. *POUR*, 247, 213-218.

Pointereau P., 2019. Un label pour la haie. *Sciences Eaux & Territoires*, 30, 74-77.

Pointereau P., Chayre A., Gibert C., René L., Marty N., Jegou S., 2021. Le paiement pour service environnemental (PSE) Adour-Garonne : quels engagements ? *Agronomie, Environnement et Société*, 11

Primdahl J., Kristensen L.S., Busck A.G., 2013. The farmer and landscape management: Different roles, different policy approaches. *Geography Compass*, 7, 300-314.

Santiago-Freijanes J.J., Rigueiro-Rodríguez A., Aldrey J.A., Moreno G., den Herder M. *et al.*, 2018. Understanding agroforestry practices in Europe through landscape features policy promotion. *Agroforestry Systems*, 92, 1105-1115.

- Stark M., 1996. Adoption and adaption of contour hedgerow farming in the Philippine uplands: Results of an early case study. *Tropenlandwirt*, 97, 3-16
- Swinkels R., Franzel S., 1997. Adoption potential of hedgerow intercropping in maize-based cropping systems in the highlands of western Kenya. 2. Economic and farmers' evaluation. *Experimental Agriculture*, 33, 211-223.
- Tallon H., 2013. *Qu'est-ce qu'accompagner ? Trois outils pour l'accompagnement à la création et au développement d'activités : Trajectoire, Cartapp et Edappa. Application à l'installation en agriculture*, Montpellier, éditions du CIRAD, 152 p.
- Toublanc M., Luginbühl Y., 2007. Des talus arborés aux haies bocagères : des dynamiques de pensées du paysage inspiratrices de politiques publiques. In *Paysages : de la connaissance à l'action* (Berland-Darqué M., Luginbühl Y., Terrasson D., eds.), Versailles, éditions Quæ, p. 163-177.
- Vandermeulen S., Ramírez-Restrepo C.A., Beckers Y., Claessens H., Bindelle J., 2018. Agroforestry for ruminants: A review of trees and shrubs as fodder in silvopastoral temperate and tropical production systems. *Animal Production Science*, 58, 767-777.
- Van Lerberghue P., 2015. Institut pour le développement forestier, dossier « Les systèmes agroforestiers » – *Forêt entreprise* n° 225, Revue technique des forestiers, CNPF, 64 p
- Wilson G.A., Hart K., 2001. Farmer participation in agri-environmental schemes: Towards conservation-oriented thinking? *Sociologia Ruralis*, 41, 254-274.

► Chapitre 5

Grimonprez B., 2025. La haie à l'honneur. À propos de la loi d'orientation pour la souveraineté alimentaire du 24 mars 2025 réformant le régime des haies. *Revue de droit rural*, dossier, 36 p.

► Chapitre 6

- Bastien Y., Gauberville C., 2011. Vocabulaire forestier : écologie, gestion et conservation des espaces boisés. Paris, Institut pour le développement forestier.
- Baudry J., Bunce R.G.H., Burel F., 2000. Hedgerows: An international perspective on their origin, function and management. *Journal of Environmental Management*, 60, 7-22.
- Chambrod R., Chabrol L., 2015. Le bocage, habitat de substitution pour les insectes des forêts anciennes : le cas des coléoptères en Limousin. *Faune sauvage*, 308, 26-28.
- Chevallier N., Dhuiège G., 2013. Impact de l'entretien des haies sur l'avifaune en Avesnois : de l'étude locale à la réflexion sur les dispositifs agri-environnementaux. *Faune sauvage*, 301, 36 p.
- De Menthère C., Piveteau V., Falcone P., Ory X., 2023. La haie, levier de la planification écologique. Rapport du CGAAER n° 22114, ministère de l'Agriculture et de la Souveraineté alimentaire, 116 p.
- Drénou C., 2016. L'arbre : au-delà des idées reçues. Paris, CNPF, Institut pour le développement forestier.
- Dumé G., Gauberville C., Mansion D., Rameau J.-C., Bardat J. *et al.*, 2018. Flore forestière française. 1 : Plaines et collines. Paris, Institut pour le développement forestier
- Emberger C., Larrieu L., Gonin P., 2017. Dix facteurs clés pour la diversité des espèces en forêt. *Forêt entreprise*, mars, 53.
- Emberger C., Larrieu L., Gonin P., 2012. Dix facteurs clés pour la diversité des espèces en forêt : des connaissances à l'origine de l'indice de biodiversité potentielle (IBP). Paris, Institut pour le développement forestier.
- Fichetef V., Branquart E., Claessens H., Delescaille L.-M., Dufrêne M. *et al.*, 2011. Milieux ouverts forestiers, lisières et biodiversité.
- Gonin P., Larrieu L., Deconchat M., 2015. Recherche & développement sur un outil de gestion forestière : l'indice de biodiversité potentielle (IBP).
- Graham L., Gaulton R., Gerard F., Staley J.T., 2018. The influence of hedgerow structural condition on wildlife habitat provision in farmed landscapes. *Biological Conservation*, 220, 122-131.

Jauzein P., Nawrot O., 2011. *Flore d'Île-de-France : guide pratique*, Versailles, éditions Quæ.

Lecq S., 2013. Importance de la structure des haies, des lisières et de la disponibilité en abris sur la biodiversité : implications en termes de gestion. Thèse, université de Poitiers.

Litza K., Diekmann M., 2020. The effect of hedgerow density on habitat quality distorts species-area relationships and the analysis of extinction debts in hedgerows. *Landscape Ecology*, 35, 1187-1198.

Mansion D., 2015. *Les trognes : l'arbre paysan aux mille usages*, Rennes, Ouest-France.

Raunkiaer C., 1934. *The Life Forms of Plants and Statistical Plant Geography*, Oxford, Clarendon Press.

Soltner D., 2019. L'arbre et la haie : pour la production agricole, pour l'équilibre écologique et le cadre de vie rurale : le livre des bocages. Sainte-Gemmes-sur-Loire.

Tourneur J.-C., Marchandeau C., 1996. Milieux bocagers et biodiversité – Les vertébrés typiques du grand-ouest. 1^{re} partie. *Bulletin de l'Office national de la chasse*, 207, 22-35.

Vallauri D., Dodelin B., Rambaud D., 2006. *Bois mort et à cavités : une clé pour des forêts vivantes*, Paris, Tec & Doc-Lavoisier.

► Chapitre 7

Bailly J.S., Lagacherie P., Millier C., Puech C., Kosuth P., 2008. Agrarian landscapes linear features detection from LiDAR: application to artificial drainage network. *International Journal of Remote Sensing*, 29, 3489-3508.

Baud D., Reynard E., 2015. Géohistoire d'une trajectoire paysagère dans la plaine du Rhône valaisan. Analyse du secteur entre Riddes et Martigny (1840-1965). *Norois. Environnement, aménagement, société*, 237, 15-31.

Baudry J., Jouin A., 2003, *De la haie aux bocages. Organisation, dynamique et gestion*, Versailles, éditions Quæ, 494 p.

Bazin P., Schmutz T., 1994. La mise en place de nos bocages en Europe et leur déclin. *Revue forestière française*, 115.

Bergen K.M., Goetz S.J., Dubayah R.O., Henebry G.M., Hunsaker C.T. *et al.*, 2009. Remote sensing of vegetation 3-D structure for biodiversity and habitat: Review and implications for lidar and radar spaceborne missions. *Journal of Geophysical Research: Biogeosciences*, 114.

Betbeder J., Nabucet J., Pottier E., Baudry J., Corgne S., Hubert-Moy L., 2014. Detection and characterization of hedgerows using TerraSAR-X Imagery. *Remote Sensing*, 6, 3752-3769.

Berthe J., 2024. Apport du LIDAR aéroporté à la compréhension des hydrosystèmes : exemple de la Montagne de Reims. Thèse de Géographie, Reims.

Black K., Lanigan G., Ward M., Kavanagh I., Sullivan L., 2023. Biomass carbon stocks and stock changes in managed hedgerows. *Science of The Total Environment*, 871, 162073.

Bocher E., Vaillant R.L., Bedel O., 2005. SIG « paysages bocagers » : un outil pour l'étude des paysages bocagers. *Revue internationale de géomatique*, 15(3), 357.

Bolyn C., Lejeune P., Michez A., Latte N., 2019. Automated classification of trees outside forest for supporting operational management in rural landscapes. *Remote Sensing*, 11, 1146.

Broers T., Peters R., Ledoux H., 2017. Automatic identification of watercourses in flat and engineered landscapes by computing the skeleton of a LiDAR point cloud. *Computers & Geosciences*, 106, 171-180.

Claeys D., Van Dyck C., Verstraeten G., Segers Y., 2019. The importance of the Great War compared to long-term developments in restructuring the rural landscape in Flanders (Belgium). *Applied Geography*, 111, 102063.

Franchomme M., 2008. Du cadastre napoléonien à la trame verte, le devenir des petites zones humides périurbaines en région Nord-Pas-de-Calais. Thèse de doctorat de Géographie, université de Lille 1.

Franck-Néel C., Borst W., Diome C., Branchu P., 2015. Mapping the land use history for protection of soils in urban planning: What reliable scales in time and space? *Journal of Soils and Sediments*, 15(8), 1687-1704.

- Gardner E, Breeze TD, Clough Y, Smith H.G., Baldock K.C.R. *et al.*, 2020. Reliably predicting pollinator abundance: Challenges of calibrating process-based ecological models. *Methods in Ecology and Evolution*, 11, 1673-1689.
- Georges-Leroy M., 2020. Typologie d'après LiDAR des structures agraires et parcellaires fossilisées sous couvert forestier en Lorraine. *Archéologies numériques*, 4(1).
- Glomot D., 2011. Bocage et métairies en Haute-Marche au xv^e siècle. *Histoire & Sociétés rurales*, 36(2), 41-74.
- Graham L., Gaulton R., Gerard F., Staley J.T., 2018. The influence of hedgerow structural condition on wildlife habitat provision in farmed landscapes. *Biological Conservation*, 220, 122-131.
- Herrault P.-A., 2015. Extraction de fragments forestiers et caractérisation de leurs évolutions spatio-temporelles pour évaluer l'effet de l'histoire sur la biodiversité : une approche multi-sources. Thèse, université Toulouse-le-Mirail – Toulouse II.
- Karasiak N., Dejoux J.-F., Monteil C., Sheeren D., 2022. Spatial dependence between training and test sets: Another pitfall of classification accuracy assessment in remote sensing. *Machine Learning*, 111, 2715-2740.
- Javelle A., 2006. Les limites d'une politique de replantation en pays bocager. Exemple d'une politique de développement durable dans le nord de l'Ille-et-Vilaine. *Territoire en mouvement Revue de géographie et aménagement. Territory in Movement, Journal of Geography and Planning*, 4, 88-98.
- Jouanne R., 1933. *Les origines du cadastre ornaïs : étude suivie du répertoire critique des plans des Archives départementales depuis l'an XI*. Imprimerie alençonnaise, 278 p.
- Kissling W.D., Shi Y., 2023. Which metrics derived from airborne laser scanning are essential to measure the vertical profile of ecosystems? *Diversity and Distributions*, 29, 1315-1320.
- Korpela I., Ørka H.O., Maltamo M., Tola T., Hyypä J., 2010. Tree species classification using airborne LiDAR – effects of stand and tree parameters, downsizing of training set, intensity normalization, and sensor type. *Silva Fennica*, 44, 156.
- Lotfi A., Javelle A., Burel F., 2010. Interdisciplinary analysis of hedgerow network landscapes' sustainability. *Landscape Research*, 35, 415-426.
- Lucas C., Bouten W., Koma Z., Kissling W.D., Seijmonsbergen A.C., 2019. Identification of linear vegetation elements in a rural landscape using LiDAR point clouds. *Remote Sensing*, 11, 292.
- Marie M., 2009. Des pratiques des agriculteurs à la production de paysage de bocage. Étude comparée des dynamiques et des logiques d'organisation spatiale des systèmes agricoles laitiers en Europe (Basse-Normandie, Galice, sud de l'Angleterre). Thèse de doctorat en Géographie, université de Caen.
- Ministère de l'Instruction publique, 1914. La statistique agricole de 1814, Paris, ministère de l'Instruction publique et des Beaux-Arts, Comité des travaux historiques & scientifiques, Section d'histoire moderne (depuis 1715) & d'histoire contemporaine.
- Næsset E., 2004. Practical large-scale forest stand inventory using a small-footprint airborne scanning laser. *Scandinavian Journal of Forest Research*, 19, 164-179.
- Paysant G., Caillault S., Carcaud N., Dufour S., 2019. Les trajectoires paysagères des hydrosystèmes secondaires de l'ouest de la France – des paysages ordinaires, des objets originaux. *Noroi*, 253(4), 41-66.
- Preux T., Delahaye D., Marie M., 2015. Transformation des structures agricoles et recomposition des paysages de bocage. *Projets de paysage. Revue scientifique sur la conception et l'aménagement de l'espace*, 12.
- Rapinel S., Hubert-Moy L., Clément B., Nabucet J., Cudennec C., 2015. Ditch network extraction and hydrogeomorphological characterization using LiDAR-derived DTM in wetlands. *Hydrological Research*, 46, 276.
- Sheeren D., Bonthoux S., Balent G., 2014. Modeling bird communities using unclassified remote sensing imagery: Effects of the spatial resolution and data period. *Ecological Indicators*, 43, 69-82.
- Sheeren D., Ferreira V., Marquès G., Lefèvre S., Lang S. *et al.*, 2024. Des orthophotos historiques aux données LiDAR HD : une diversité de sources pour enrichir la cartographie du bocage, sa trajectoire et les indicateurs associés, 33^e Journée de la recherche IGN.

- Staley J.T., Sparks T., Croxton P., Baldock K., Heard M. *et al.*, 2012. Long-term effects of hedgerow management policies on resource provision for wildlife. *Biological Conservation*, 145, 24-29.
- Staley J.T., Bullock J.M., Baldock K.C.R., Redhead J.W., Hooftman D.A.P. *et al.*, 2013. Changes in hedgerow floral diversity over 70 years in an English rural landscape, and the impacts of management. *Biological Conservation*, 167, 97-105.
- Thenail C., 2002. Relationships between farm characteristics and the variation of the density of hedgerows at the level of a micro-region of bocage landscape. Study case in Brittany, France. *Agricultural Systems*, 71(3), 207-230.
- Van Apeldoorn D.F., Kempen B., Sonneveld M.P.W., Kok K., 2013. Co-evolution of landscape patterns and agricultural intensification: An example of dairy farming in a traditional Dutch landscape. *Agriculture, Ecosystems & Environment*, 172, 16-23.
- Van Eetvelde V., Antrop M., 2009. Indicators for assessing changing landscape character of cultural landscapes in Flanders (Belgium). *Land Use Policy*, 26(4), 901-910.
- Vannier C., 2011. Observation et modélisation spatiale de pratiques agricoles territorialisées à partir de données de télédétection : application au paysage bocager. Thèse, université Rennes 2.
- Vervust S., Kinnaird T., Dabaut N., Turner S., 2020b. The development of historic field systems in northern England: A case study at Wallington, Northumberland. *Landscape History*, 41(2), 57-70.
- Viel V., 2012. Analyse spatiale et temporelle des transferts sédimentaires dans les hydrosystèmes normands. Exemple du bassin versant de la Seules. Thèse de doctorat en Géographie, université de Caen Basse-Normandie.

► Chapitre 8

- Aksoy H., Kavvas M.L. 2005. A review of hillslope and watershed scale erosion and sediment transport models. *Catena*, 64(2-3), 247-271.
- Bergès L., Avon C., Bezombes L., Clauzel C., Duflot R. *et al.*, 2020. Environmental mitigation hierarchy and biodiversity offsets revisited through habitat connectivity modelling. *Journal of Environmental Management*, 256, 109950.
- Bocedi G., Palmer S.C.F., Pe'er G., Heikkinen R.K., Matsinos Y.G. *et al.*, 2014. RangeShifter: A platform for modelling spatial eco-evolutionary dynamics and species' responses to environmental changes. *Methods in Ecology and Evolution*, 5, 388-396.
- Burel F., Baudry J., Butet A., Clergeau P., Delettre Y. *et al.*, 1998. Comparative biodiversity along a gradient of agricultural landscapes. *Acta Oecologica*, 19, 47-60.
- Calabrese J.M., Fagan W.F., 2004. A comparison-shopper's guide to connectivity metrics. *Frontiers in Ecology and the Environment*, 2, 529-536.
- Carluer N., De Marsily G., 2004. Assessment and modelling of the influence of man-made networks on the hydrology of a small watershed: Implications for fast flow components, water quality and landscape management. *Journal of Hydrology*, 285, 76-95.
- Coulon A., Aben J., Palmer S.C.F., Stevens V.M., Callens T. *et al.*, 2015. A stochastic movement simulator improves estimates of landscape connectivity. *Ecology*, 96, 2203-22131.
- Day C., Zollner P.A., Gilbert J., Gustafson E. 2025. Integrating mechanistic models of landscape change and animal behavior to measure functional connectivity. *Landscape Ecology*, 40, 47.
- De La Barra F., Alignier A., Reyes-Paecke S., Duane A., Miranda, M. 2022. Selecting graph metrics with ecological significance for deepening landscape characterization: Review and applications. *Land*, 11, 338.
- Duflot R., Avon C., Roche P., Bergès L., 2018. Combining habitat suitability models and spatial graphs for more effective landscape conservation planning: An applied methodological framework and a species case study. *Journal for Nature Conservation*, 46, 38-47.
- Duke G.D., Kienzie S.W., Johnson D.L., Byrne J.M. 2003. Improving overland flow routing by incorporating ancillary road data into digital elevation models. *Journal of Spatial Hydrology*, 3(2).
- Everaars J., Settele J., Dormann C.F., 2018. Fragmentation of nest and foraging habitat affects time budgets of solitary bees, their fitness and pollination services, depending on traits: Results from an individual-based model. *PLOS ONE*, 13(2), e0188269.

- Galpern P., Manseau M., Fall A., 2011. Patch-based graphs of landscape connectivity: A guide to construction, analysis and application for conservation. *Biological Conservation*, 144, 44-55.
- Gascuel-Odoux C., Arousseau P., Cordier M-O., Durand P., Garcia F. *et al.*, 2009. A decision-oriented model to evaluate the effect of land use and agricultural management on herbicide contamination in stream water. *Environmental Modelling & Software*, 24, 1433-1446.
- Hagen L.J., Fox F.A., 2020. Erosion submodel of WEPS. In *The Wind Erosion Prediction System (WEPS): Technical Documentation* (Tatarko J., ed.), USDA Agriculture Handbook 727, United States Department of Agriculture, Agricultural Research Service, Beltsville, MD, p. 85-157.
- Hofmann D.D., Cozzi G., McNutt J.W., Ozgul A., Behr D.M., 2023. A three-step approach for assessing landscape connectivity via simulated dispersal: African wild dog case study. *Landscape Ecology*, 38, 981-998.
- Heisler G.M., Dewalle D.R., 1988. 2. Effects of windbreak structure on wind flow. *Agriculture, Ecosystems & Environment*, 22-23, 41-69.
- IFN, 2010. Étude Haies, Biomasse, Basse-Normandie (HBBN). Estimation du bois de haie mobilisable en « bois énergie » en Basse-Normandie, 24 p.
- Judd M.J., Raupach M.R., Finnigan J.J., 1996. A wind tunnel study of turbulent flow around single and multiple windbreaks, part I : Velocity fields. *Boundary-Layer Meteorology*, 80(1-2), 127-165.
- Kenney W.A., 1987. A method for estimating windbreak porosity using digitized photographic silhouettes. *Agricultural and Forest Meteorology*, 39(2-3), 91-94.
- Kortsch S., Saravia L., Cirtwill A.R., Timberlake T., Memmott J. *et al.*, 2023. Landscape composition and pollinator traits interact to influence pollination success in an individual-based model. *Functional Ecology*, 37(7), 20256-2071.
- Langlois P., Delahaye D., 2002. RuiCells, automate cellulaire pour la simulation du ruissellement de surface. *Revue internationale de géomatique*, 12(4), 461-487.
- Le Féon V., Burel F., Henry M., Ricroch A., Vaissière B., Baudry J., 2013. Solitary bee abundance and species richness in dynamic agricultural landscapes. *Agriculture, Ecosystem & Environment*, 166, 94-101.
- Liu Y., Li H., Yuan F., Shen L., Wu M. *et al.*, 2022. Estimating the impact of shelterbelt structure on corn yield at a large scale using Google Earth and Sentinel 2 data. *Environmental Research Letters*, 17(4), 044060.
- Loustau D. (ed.), 2004. Séquestration de carbone dans les grands écosystèmes forestiers en France. Quantification, spatialisation, vulnérabilité et impacts de différents scénarios climatiques et sylvicoles. Rapport final du projet CARBOFOR, programme GICC 2001 « Gestion des impacts du changement climatique » et convention Gip ECOFOR n°3/2001, INRA, Bordeaux-Pierroton, 138 p.
- Lumia G., Modica G., Cushman S., 2024. Using simulation modeling to demonstrate the performance of graph theory metrics and connectivity algorithms. *Journal of Environmental Management*, 352, 120073.
- McRae B.H., 2006. Isolation by distance. *Evolution*, 60, 1551-1561.
- McRae B.H., Dickson B.G., Keitt T.H., Shah V.B., 2008. Using circuit theory to model connectivity in ecology, evolution, and conservation. *Ecology*, 89, 2712-2724.
- McRae B.H., Kavanagh D.M., 2011. Linkage Mapper Connectivity Analysis Software.
- Makwela M.M., Slotow R., Munyai T.C., 2023. Carabid beetles (Coleoptera) as indicators of sustainability in agroecosystems: A systematic review. *Sustainability*, 15(5), 3936.
- Moret C., Pille L., Betolaud S., 2024. Mesurer la biomasse des haies, Ademe, 36 p.
- Moussa R., Voltz M., Andrieux P. 2002. Effect of the spatial organization of agricultural management on the hydrological behaviour of a farmed catchment during flood events. *Hydrological Processes*, 16, 393-412.
- Nageli W., 1953. Researches on the behaviour of wind in relation to reed fences. *Mitteilungen der Schweizerischen Anstalt für das forstliche Versuchswesen*, 29(2), 213-266.
- Ouvry J.F., Richet J.B., Bricard O., Lhériteau M., Bouzid M., Saunier M., 2012. Fascines et haies pour réduire les effets du ruissellement érosif. Caractérisation de l'efficacité et conditions d'utilisation, Document de l'AREAS, 68 p.

Raza A., Ahrends H., Habib-Ur-Rahman M., Gaiser T., 2021. Modeling approaches to assess soil erosion by water at the field scale with special emphasis on heterogeneity of soils and crops. *Land*, 10, 422.

Reaney S.M., 2008. The use of agent based modeling techniques in hydrology: Determining the spatial and temporal origin of channel flow in semi-arid catchments. *Earth Surface Processes and Landforms*, 33, 317-327.

Reulier R., Delahaye D., Viel V., Davidson R., 2017. Connectivité hydro-sédimentaire dans un petit bassin versant agricole du nord-ouest de la France : de l'expertise de terrain à la modélisation par système multi-agent. *Géomorphologie : relief, processus, environnement*, 23(4).

Sahraoui Y., Foltête J.-C., Clauzel C., 2017. A multi-species approach for assessing the impact of land-cover changes on landscape connectivity. *Landscape Ecology*, 32, 1819-1835.

Saura S., Estreguil C., Mouton C., Rodríguez-Freire M., 2011. Network analysis to assess landscape connectivity trends: Application to European forests (1990–2000). *Ecological Indicators*, 11, 407-416.

Servat D., 2000. Modélisation de dynamiques de flux par agents. Application aux processus de ruissellement, infiltration et érosion. Thèse de doctorat, université de Paris 6, 186 p.

Sheeren D., Marquès G., Villerme L., Boissonnat J.B., Guébin G. *et al.*, 2023. HedgeTools : une boîte à outils pour extraire et caractériser automatiquement les haies en milieu agricole. International Conference on Spatial Analysis and GEomatics (SAGEO' 23), Québec, Canada, juin 2023.

Tortrat F., 2005. Modélisation orientée décision des processus de transfert par ruissellement et subsurface des herbicides dans les bassins versants agricoles. Thèse de doctorat, Agrocampus Rennes, 174 p + annexes.

Urban D.L., Minor E.S., Treml E.A., Schick R.S., 2009. Graph models of habitat mosaics. *Ecology Letters*, 12, 260-273.

Viaud V., Lesaint L., Coulon F., Betolaud S., Nevoux L. *et al.*, 2022. Evaluation des stocks et des flux de biomasse et carbone des haies, tests métrologiques et premières références dans quatre régions en France, 64 p.

Viel V., Delahaye D., Reulier R., 2014. Impact de l'organisation des structures paysagères sur les dynamiques de ruissellement de surface en domaine bocager. Étude comparée de trois petits bassins versants bas-normands. *Géomorphologie*, 13 p.

von Königsłow V., Fornoff F., Klein A.-M., 2022. Wild bee communities benefit from temporal complementarity of hedges and flower strips in apple orchards. *Journal of Applied Ecology*, 59(11), 2814-2824.

Wang H., Cao Y., Huang Z., Liu Y., Hu P. *et al.*, 2023. Recent advances on machine learning for computational fluid dynamics: A survey. *Journal of LaTeX Class Files*, 14(8).

Yang X., Yu Y., Fan W., 2017. A method to estimate the structural parameters of windbreaks using remote sensing. *Agroforestry Systems*, 91(1), 37-49.

Yuan F., Wu J., Wang A., Guan D., Zhang Y. *et al.*, 2020. A semiempirical model for horizontal distribution of surface wind speed leeward windbreaks. *Agroforestry Systems*, 94(2), 499-516.

Zheng X., Zhu J., Xing Z., 2016. Assessment of the effects of shelterbelts on crop yields at the regional scale in Northeast China. *Agricultural Systems*, 143, 49-60.

► Glossaire

Bastien Y., Gauberville C., 2011. Vocabulaire forestier : écologie, gestion et conservation des espaces boisés. Paris, Institut pour le développement forestier.

Raunkier C., 1904. Om biologiske typer, med Hensyn til Planternes Tilpasning til at overle ugunstige Aarister. *Botaniker Tidsskrift*, 26.

Raunkier C., 1934. *The Life Forms of Plants and Statistical Plant Geography*, collected papers of C. Raunkiaer, Oxford University Press, p. 2-104.